
Medical Electrochemical Galvanic Fuel Cell Percent Oxygen Sensor




Intended Use:

These oxygen sensors, with their excellent stability, performance and linearity are designed to be used to monitor the partial pressure of oxygen in breathing gas mixtures for anaesthesia, ventilators, medical oxygen concentrators, incubators, and general oxygen monitors.

Dimensions:







FDA510K Coming Soon

Specification:

10 - 14.5 mV 0 - 100 Percent 12 Seconds ± 1% of Signal ± 0.5% Compensated 0 to 45 ° C
12 Seconds ± 1% of Signal ± 0.5% Compensated
± 1% of Signal ± 0.5% Compensated
± 0.5% Compensated
Compensated
· · · · · · · · · · · · · · · · · · ·
0 to 45 0 C
01045°C
0 to 45 ° C
ISO 80601-2-55
White ABS
0 - 100% RH (Non - Condensing
< 60 Months

1. Signal output is measured in air at 25 $^{\rm o}$ C, sea level.

2. Full Scale accuacy is calculated with constant pressure, temperature and proper calibration (80% O2 value on full scale range). Drastic temperature change can result in a maximum error of \pm 10%.

3. Expected life is calculated when O2 < 20.9% @ 25 ° C, sea level.

4. Southland Sensing Ltd. warrants the sensors for the period noted above to be free from defects in materials and workmanship. Southland Sensing Ltd. will not be held liable for sensors damaged due to customer neglect.